

# iQuila Installation Guide for

# iQuila Client 5.02.284 and higher

iQ22115r1

This Document Applies to: iQuila Enterprise

iQuila Cloud

#### Contents

Upgrading to iQuila Client Version 5.02.284 and Higher	3
The uninstallation of a previous version is a requirement before proceeding with the installation of version 5.02.284 and higher.	3
Installing the Cloud Client 5.02.284 and higher	6
Installing the Enterprise Client 5.02.284 and higher	7

#### Upgrading to iQuila Client Version 5.02.284 and Higher

The uninstallation of a previous version is a requirement before proceeding with the installation of version 5.02.284 and higher.

This latest version is not an overlay install but complete separate installation which will require the current version to be uninstall manually. Please follow the instruction provided in this document to do a clean uninstall before conducting the installation of the new iQuila Client. This will entail the removal of the iQuila software from programs and features, The iQuila folder in program files folder and the removal of the VPN-VPN network adaptor via device manager.

Open iQuila Cloud Manager. Right-click and select. **Export VEN Connection Settings.** Save the file to a location e.g. Desktop. **PLEASE SELECT NO** to this popup question. Selecting no *saves* the password into the file.





This will back up the VEN connection account details for importing later via the iQuila Enterprise Client option only.

Disconnect VEN connection.



Exit iQuila Client manage Program.

Open Programs and Features in the control panel and uninstall iQuila Cloud Client. Click OK to the pop-up request. Close control panel when finished.

Open File Explorer. Navigate to Program files. Delete the iQuila Ltd folder.

Open Device Manager. Navigate to Network Adapters. Select **VPN Client Adapter – VPN** Right-click and Uninstall device. Select the Delete the driver software for the device and click uninstall.

Clost all open windows. You are now ready to install the new iQuila version.



AN Miniport (L21

Processors Software devicer Scan for hardware changes

Properties

#### Note on installing the new iQuila Client

The new installation offers you 3 options.

iQuila Cloud Client iQuila Enterprise Client Admin Tool



If you chose the iQuila Cloud Client, you would need to re-enter the device account details at this point in the installation.

If you chose the iQuila Enterprise Client, you have the option to use the saved VEN Connection Setup file that you created via import iQuila Connection Settings.

Cases filinformations	denat cloud weiteb you was	et to and				
	ess trop list below					
100 R2	London - UK		0			
88 R13	Wates - UK		î			
R3	Netherlands - EU Germany - EU		~			
Secold Victorial	Saltch name					
timer your bevice	(user) name					
Eriter yo	o passion					
		< Beck	Next > Cancel			
I iQuila Enterprise Clier	it Manager				- 0	>
nnect Edit View V	firtual Adapter US	B Token Tool	s Help			
Connect		Enter	Server Hostname	Virtual Switch	Virtual Network A	
View Status_		Ctrl+S				
View Status Disconnect		Ctrl+S Ctrl+D				
View Status Disconnect Disconnect All		Ctrl+S Ctrl+D Ctrl+I				
View Status Disconnect Disconnect All Recent iQuila Servers		Ctrl+S Ctrl+D Ctrl+I				
View Status Disconnect Disconnect All Recent iQuila Servers New iQuila Connecti	ion Setting	Ctrl+S Ctrl+D Ctrl+I Ctrl+N				
View Status Disconnect Disconnect All Recent iQuila Servers New iQuila Connecti Copy	ion Setting	Ctrl+S Ctrl+D Ctrl+I Ctrl+N Ctrl+N	-			
View Status Disconnect Disconnect All Recent iQuila Servers New iQuila Connecti Copy Create iQuila Connect	s ion Setting ction Shortcut	Ctrl+S Ctrl+D Ctrl+I Ctrl+N Ctrl+C	-			
View Status Disconnect Disconnect All Recent iQuila Servers New iQuila Connecti Copy Create iQuila Connect Export iQuila Connect	s ion Setting ction Shortcut ction Setting	Ctrl+S Ctrl+D Ctrl+I Ctrl+N Ctrl+C	-			
View Status Disconnect Disconnect All Recent iQuila Servers New iQuila Connecti Copy Create iQuila Connect Export iQuila Conne Export iQuila Conne	s tion Setting ction Shortcut ction Setting <b>xtion Setting</b>	Ctrl+S Ctrl+D Ctrl+I Ctrl+N Ctrl+C	-			
View Status Disconnect Disconnect All Recent iQuila Serveri Verente iQuila Connecti Copy Create iQuila Conne Export iQuila Conne Impert iQuila Conne Set as Status Conne	s ion Setting ction Shortcut ction Setting ction Setting	Ctrl+S Ctrl+D Ctrl+I Ctrl+N Ctrl+C	-			
View Status Disconnect Disconnect All Recent iQuila Servert New iQuila Connecti Copy Create iQuila Connecti Export iQuila Conne Import iQuila Conne Import iQuila Conne Set as Startup Conne Remove Status Con	s ction Shortcut ction Shortcut ction Setting ction meeting	Ctrl+S Ctrl+D Ctrl+I Ctrl+C Ctrl+C				
View Status Disconnect. Disconnect All Recent (Quila Servern New (Quila Connect Copy Create (Quila Connect Export (Quila Conne Impert (Quila Conne Set as Startup Conne Remove Statup Conne Remove Statup Conne Remove Statup Conne	s tion Setting ction Shortcut ction Setting ction settion mection	Ctrl+S Ctrl+D Ctrl+I Ctrl+C Ctrl+C				
View Statuz Disconnect Disconnect All Recent (Quila Servers New (Quila Connect Copy Create (Quila Conne Export (Quila Conne Impert (Quila Conne Impert (Quila Conne Remove Statup Conn Remove Statup Conn Remove Statup Conn Remove Statup Conne Remove Statup Conne Re	s ion Setting ction Shortcut ction Setting sction settion nection	Ctri+S Ctri+D Ctri+I Ctri+C Ctri+C Ctri+C	-			
View Status Disconnect Disconnect All Recent Iduils Servers New IQuils Connect Copy Create IQuils Conne Import Iduils Conne Import Iduils Conne Set as Statup Conn Remove Statup Con Rename Delete Procerties	ion Setting ction Shortcut ction Shortcut ction Setting ection setting mection	Ctri+S Ctri+D Ctri+I Ctri+N Ctri+C Ctri+T Ctri+T F2 Del Alt+Enter				
View Status Disconnect Disconnect Disconnect All Recent (Quila Servers Copy Create (Quila Connect Export (Quila Conne Impart (Quila Conne Impart (Quila Conne Set as Startup Conne Remove Statup Conne Remove Statup Conne Remove Statup Conne Delete Properties	s ion Stetting ction Shortcut ction Setting ction settion nection	Ctri+S Ctri+D Ctri+D Ctri+N Ctri+N Ctri+C Ctri+T F2 Del Alt+Enter				
View Status Disconnect All Disconnect All Recent iQuila Servern New iQuila Connect Copy Create iQuila Connect Export iQuila Connec Export iQuila Conne Set as Startup Conne Remove Statup Con Remove Statup Con Remove Statup Con Properties Show (cons on Task 1)	s ion Setting ction Shortcut ction Setting ction Setting iction section fiay	Ctri-S Ctri-D Ctri-D Ctri-T Ctri-T Ctri-T F2 Del Alte-Enter				
View Status Disconnect All Recent Clubils Servers New Clubils General Copy Create iQuils Connect Copy Create iQuils Connec Export Quils Conne Import Clubils Conne Manger Clubils Conne Set as Startup Conn Remare Diste Properties Show Kons on Tash T Clease Connection M	s ction Shortcut ction Shortcut ction Setting ction settion settion settion settion settion	Ctrl+S Ctrl+D Ctrl+D Ctrl+T Ctrl+C Ctrl+T Ctrl+T F2 Del Alt+Enter Alt+Enter				

## Installing the Cloud Client 5.02.284 and higher

**Requesits:** 

- Account details when device was created or sent via the assigned email address.
- The installation client software downloaded from the link in the email or from the device download link in the Cloud Portal.

	iQuila Setup Wizard (Version 5.02.284) - Enterprise Version
Select iQuila Cloud Client	Select Software Components to Install
	iQuila Cloud Client
Novt	
INEXL	IQuila Enterprise Client Manager (Admin Teals Only)
	About iQuila Cloud Client
	Install IQuila Client and set up connection to IQuila worldwide-distributed virtual switches network:
	< Bock Next > Cancel
	🔄 iQuila Setup Wizard (Version 5.02.284) - Enterprise Version 🛛 🗙
Accept the EULA	End User License Agreement
	Please read the End User License Agreement carefully.
Next, Next	END USER LICENSE AGREEMENT
	Between IQuila Ltd ("IQuila")
	And
	End User
	This End User License Agreement ("Agreement") is a binding agreement between the
	I agree to the End User License Agreement.
	Kask         Best >         Cancel           Initial Setup Wizard (Version 5.02.284) - Enterprise Version         X
Enter the iQuila Client Account details	Settings of iQuila Cloud service
	Please fill information about cloud switch you want to use
Next, Next	Choose the server address from list below:
	B3 Netherlands - El
Let the App install	R4 Germany - EU
	Specify Virtual Switch name
	Enter your device (user) name
	ZBade March Church
	About - X
Finish	
Finish	UILA
Finish OK	iQuila VEN 5.0 (Ver 5.02, Build 284)
Finish OK	Carla VEN 5.0 (Ver 5.02, Build 284)
Finish OK	Viait IQuila VEN Vebsite.         OK

A green circling arrow indicates connection established.

Right click on the green circling arrow will allow control options of the client.

^	Q	대 🗤 🖢
		<u>ти</u>

< Back Next > Cancel

Select Change Operation Mode and Advance Mode will allow advance operation of the client.

### Installing the Enterprise Client 5.02.284 and higher

**Requesits:** 

- Account details when device was created or sent via the assigned email address.
- The installation client software downloaded from the link in the email or from the device download link in the Cloud Portal.

	iQuila Setup Wizard (Version 5.02.284) - Enterprise Version X
Select iQuila Enterprise Client	Select Software Components to Install
	iQuila Cloud Client
Next	iQuila Enterprise Client
	🤏 iQuila Enterprise Client Manager (Admin Tools Only)
	About iQuila Enterprise Client
	Install it on iQuila Enterprise Client computers. A Client computer will be able to connect to the central iQuila Server. The management tools will be also installed.
	< Back Next > Cancel
	📷 iQuila Setup Wizard (Version 5.02.284) - Enterprise Version 🛛 🗙
Accept the EULA	End User License Agreement
	Please read the End User License Agreement carefully.
Nevt Nevt Install	END USER LICENSE AGREEMENT
	Between IQuila Ltd ("IQuila")
	And
	End User
	This End User License Agreement ("Agreement") is a binding agreement between the
	I agree to the End User License Agreement.

Select Add iQuila Connection

Click OK on the popup for adding a Virtual Network Adaptor Click OK to the Virtual Network Adaptor Name (VEN) Please do not change this.

The Virtual Adaptor will install

Enter the iQuila Client Account details

Tick the iQuila Cloud Server box to see the list of iQuila servers

If you are connecting to your own Enterprise server enter the IP address or URL in place

Click OK

Add Zaha Convection  Add Zaha	uila Connection Name	Status	iQuila Server	Hostname		Virtual Switch	Virtual Netwo	rk A		
Add Ederprise Clean Manage     To any work of or order a new Guide Concretion up you need to extend to extend the first t	Add iQuila Connection									
Ands Exterprise Cleent Manager The provement the reached as Values Monored to appendix and appe										
Add faterprise Cleent Manager					O Data ter	eprise Client Manager				
Cale Exterprise Clerch Manager The prove such concretes a Voltal Network Algebra The prove such concrete a Voltal Network Algebra The prove such response to the Network The prove such response to the Network The prove such response to the Network Algebra The prove such response to th					Connect ad	The VelaclAmple	This lotter look 19	*	lange to the land	
Cale determine: Cleent Manage:					han dee	War Ndersk Adato	• Excended en brank	, î	CAR PART 1	The NEW YOR
Call Enterprise Clent Manager The prise clent Manager The prise water the creater at Whata Methoden Adapter to The prise water the creater at Whata Methoden Adapter to The prise clent Manager The prise Clent Manager					-		Inta Informação, an Nacion	0.01043		
					Uncomparing the	COLUMN DESCRIPTION	earlier was as some to	WINKEY .		
Added targeting Laket Manager					Maximum 13	Telephysics be exceeded		(1000)		
	Quila Enterprise Client Manage	1			_		- ,			
• Terrer visual Hierand Adapter Up for Hera Visual Hierand Adapter UP in the UP in		i cuite com								
De you wat to orate a Virtuel Helson Adaptet II	create a Virtual Netw	ork Adapter.	rection you need							
Not control     A there is a control           A there is a control <th>Do you want to creat</th> <th>le a Virtual Network</th> <th>Adapter?</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>	Do you want to creat	le a Virtual Network	Adapter?							
with more     with more     with financial content interver     with financial content interver <td></td>										
Interprint Clerk Manger		Viet	5 N							
An Interprise Clear Manage          • Int Connect Sectory           • Output Clear Manage           • Output Clear Manage          Column Conception Clear Manage           • Output Clear Manage           • Output Clear Manage           • Output Clear Manage          Column Conception Clear Manage           • Output Clear Manage           • Output Clear Manage           • Output Clear Manage          Column Conception Clear Manage           • Output Clear Manage           • Output Clear Manage           • Output Clear Manage          Column Conception Clear Manage           • Output Clear Manage           • Output Clear Manage           • Output Clear Manage          Column Conception Clear Manage           • Output Clear Manage           • Output Clear Manage           • Output Clear Manage          Column Conception Clear Manage           • Output Clear Manage           • Output Clear Manage           • Output Clear Manage          Column Conception Clear Manage           • Output Clear Manage           • Output Clear Manage           • Output Clear Manage          Column Conception Clear Managee           • Output Clear Managee           • Output Clear Managee           • Outpu										
Al Deterprise Cleent Manager										
A Card Data price Carder Manager   Card Data price Card Data price Carder Manager   Card Data price Card Data price Carder Manager   Card Data price Card					Outs Cristonia	e Clarit Maragar		· Wet Connected	Orbite	eprim Clem (
able fortegrine Check Manger     Chack Concerning   Chack Concerning   Chack Check Manger     Chack Manger     Chack Manger     Chack Manger     Chack Manger     Chank Manger     Chack Manger     Chank										
All Margulas Claest Managar        All Margulas Claest Managar           All Margulas Claest Managar <th></th>										
A conclusion of the main frame	ila Enterorize Client Manager					-			_	
Value Control Control Response     And The Control Response        And The Control Response     And The Control Response        And The Control Response <b>Control Response      <b>Control Response      <b>Control Response   </b></b></b>	ala Enterprise Client Manager			The block Comments		ALC: UNK	Coloradore Cline	0.014 304		
Text India Adapter US Adapter Table The Mark Adapter US Adapter Table T				Not Connecte	d	iQuila	Enterprise Clien	t Build 284		-
within the model control in the second regions       X         Second contregif the armon second regions       X     <	Quila Enterprise Client Manager			Not Connecte	d iQuile Enter	iQuila l	Enterprise Clien	t Build 284	4	-
Ster Inter Ser Index of Additional Services          Ster Index Inter Control       Ster Control         Ster Index Inter	iQuila Enterprise Client Manager nnect Edit View Virtual Adapt	er USB Token Tool	s Help	Not Connecte	d Ruile Enter onnect Edit	prise Client Man View Virtual	Enterprise Clien ager Adapter USB To	t Build 284 ken Tools He	-d	
With Control Laboration of the design of the laboration of the design	Quils Enterprise Client Manager nnect Edit View Virtual Adapt iguila Connection Properties	er USB Token Tool	s Help	× Not Connecte	d iQuile Enter onnect Edit ow iQuila Con	iQuila l prise Client Man View Virtual nection Propertie	Enterprise Clien ager Adapter USB To ES	t Build 284 ken Tools He	ip X	
Or Burger Bu	Quile Enterprise Client Manager rmest Edit View Virtual Adapt w iQuila Connection Properties Setting Name: New IQ	er USB Token Tool Julia Connection	is Help	× Not Connecte	d iQuile Enter onnect Edit ow iQuila Con	iQuila I     prise Client Man     View Virtual     nection Propertie Setting Name	Enterprise Clien ager Adapter USB To es New Kuala Correct	t Build 284 sen Tools He Sian	lp X	
Image: Section of the generation of the generatio	Ourile Enterprise Client Manager      mnect Edit View Virtual Adapt      wiQuila Connection Properties      Setting Name New IQ      Destination IQuila Server	er USB Token Tool Julia Connection	s Help	× Not Connecte	d iQuile Enter onrect Edit ow iQuila Con	iQuila I     prise Client Man <u>View Vietual</u> nection Propertie     Setting Name:     1     Quila Server:	Enterprise Clien așer Adapter USB To es New iQuila Correc	t Build 284 ken Tools He	.d	
mot tame:	Curils Enterprise Client Manager      meet Edit View Virtual Adapt      wi Quila Connection Properties     Setting Name: New IQ      Destination IQuila Serven     Socify the host name or IP	er USB Token Tool Jula Connection	h Help	× Not Connecte	d iQuile Enter onnect Edit ov iQuila Con ov iQuila Con Destination I	iQuila I     prise Client Man     View Vietual     nection Properti  Setting Name:  Quila Servet  setfy the host nam	Enterprise Clien ager Adapter USB To Es New Khalla Cornec e or IP address, an	t Build 284 orn Tools He Son	lp ×	
And Ratee and Anderson Statistics of the second state and states a	Ourila Enterprise Client Manager     revect Edit View Viritual Adapt     wi Quila Connection Properties     Setting Name: New 10     Destination Quila Server     Setting Name: New 10     Setting Switch on the de	er USB Token Tool Julia Connection address, and the port stituation IQuila Server.	is Help	× Not Connecte	d iQuile Enter onnect Edit ow iQuila Con Oestination I Sou Sou the	iQuila i     iQuila i     view Vietual     nection Properti     Setting Name:     Quila Server     cify the host nam     Virtual Switch on	Enterprise Clien ager Adapter USB To Es New Kuila Correc e or IP address, an the destination KD	t Build 284	lp X	
Water Same       Called Work Address Same	Quile Enterprise Client Menager remet: Edit: View: Virtual Adapti wiQuila Cennection Properties Setting Name: New IO Destination IQuila Serven  Setting Name: New IO Setting Serven  Setting	er USB Token Tool Julia Connection address, and the port stituation IQuila Server.	h Help	× Not Connecte	d Ruile Enter oneect Edit ow iQuila Con Destination I Sou Host Name	iQuila i     iQuila i     iprise Client Man     View Virtual     nection Properti      Setting Name:     1     Quila Serve:     setty the host nam     Virtual Switch on     Electroneste	Enterprise Clien ager Adapter US8 Te es e or IP address, an the destination Ki esourchigutia col	t Build 284	lp X	
Under Antonican Gefreign	Outle Enterprise Clerr Manager renet: Edit View Virtual Adapti wiQuila Cennection Properties Setting Name New O Destination IQuila Server: Security the host name or IP Security the host name or IP Not Name Port Number [443]	er USB Teken Tool Jula Connection	number and ulla Cloud Servers	Not Connecte	d Ruile Enter oriented Edit ov iQuila Con Destination I Sou Destination I Host Name Port Numbe	iQuila i     iQuila i     iprise Client Mass     View Virtual     nection Properti      Setting Name:     1     Quila Serve:     constraint     virtual Switch on     F     iQuicatermas     fiductatermas	Enterprise Clien ager Adapter US8 Te es e or IP address, an the destination R constratiguita co ter ague aguita co ter ague aguita co	t Build 284	lp X	
With Reserve description of the result of	Curlie Exterprise Clean Manager ment Edit Yeaw Virtual Adapte Virtual Adapter Virtual Contection Properties Setting Name here 02 Destination Agails Servern Setting Name here of Port Name: Port Name:	er USB Token Tool wild Connection address, and the port stimation (Quils Server, ) Quils Server, ) Quil	number and alla Cloud Servers NAT-T UDP Acceleration	× Not Connecte	d Cuile Enter connect Edit cov (Quila Con Con Destination I Con Post Name Port Number Virtual Saited	iQuila i     iQuila i     verso Client Man     View Virtual     nection Propertia     Setting Name:     I     Quila Serve:     control of the server     control of the server     indicatermas     indicatermas     indicatermas     indicatermas     indicatermas	Enterprise Clien ager Adapter US8 Te es New Quita Cornec e or IP address, an the destination KD construction K	t Build 284	r and ud Servers	
An the set of an end of a set of a	Wolf Enterprise Clerk Menager     ment Edit Year Vintual Adapta     without Antendent     Sectory Name International     Sectory Reveals	er USB Token Tool Nule Connection eddress, and the port stantiskin (Quila Serier, ) Guila Disable ( ) Disable (	Is Help number and Jia Cloud Servers NAT-T UDP Acceleration	× Not Connecte	d Courie Enter connect Edit Edit Edit Edit Edit Edit Edit Edi	iQuila i     iQuila i     verso Client Man     View Virtual     nection Propertia     Setting Name:     []     Quila Serve:     control of the server     control of the server     indicaterman	Enterprise Clien ager Adapter US8 To Es New Kaila Cornec e or IP address, an the destination KD construct that or the destination KD construct that or the address of the second the address of the second teractive optile con- teractive optile con- teractive optile con- teractive optile con- teractive optile con- teractive optile con- teractive optile con-	t Build 284 ten Tools He Son d the port number uila Server. Control Control Control In Sable NAT-T In Sable UDP Action	Ip X	
And Type: Televised Advectation ~~ We focus they be used previous of the Cabin trave. The last trave between the cabin trave. Charge Previous Wash fielded: Adapter to Det Whath Select Adapter to Det What Sele	Outle Toreprine Clerk Manager     wicQuada Connection Properties     Setting Name     Period     Setting Name	er USB Token Tool Julis Connection eddress, and the port stimation (Dulis Server, Charles ) Classifier Classif	number and alla Cloud Servers NAT-T UDP Acceleration	× Not Connecte	d Couile Enter connect Edit wiQuila Con Couile Couile wiQuila Con Couile	Piquila      Prior Client Man     View Virtual     nection Properti     Setting Name:     Quila Server     Quila Server     Quila Server     Clicustemas     riticustemas	Enterprise Clien aper Adapter US8 Te es New Kaila Connec e or IP address, an the destination K0 Center address the destination K0 Center address the a	t Build 284	Ip X	
tare there there is a set of the	Avia Enterprine Clean Managuer     Weink Adapta     Weink Adapta     Weink Adapta     Weink Adapta     Weink Adapta     Setting Name	er USB Token Tool Jula Connection address, and the port stantion (Dulla Server. ) Disable ) Disable formation that is require.	number and Jia Cloud Servers NAT-T UDP Acceleration ired when	× Not Connecte	d Couile Enter ew Quila Con Courtention I Courtention I Courtentio I Courtention I Courte	Cluster     Clerch Mee     View Vetual nection Propertia     Setting Name     Custs     Setting Name     Custs     Custs	Enterprise Clien ager Adapter US8 Te es e or IP address, an the destination K0 constructure quila con the acure quila con	ern Tools He ikin at the port number uita Server. Coule Clo issaile NAT.T issaile UDP Ac a required with	Ip X	
Passend. Vote us drage the store passion of us the Califa Sines. Carage Passion Vistar Network Adapter to Use Vistar Network N	Aufuit Enterprine Clerk Manager     wickJubb Connection Properties     Setting Name	er USB Token Tool India Connection India Connection India Server, India Serve	number and silla Cloud Servers NAT-T UDP Acceleration red when n ~	× N	d Could Enter ennect Edit envi Quils Con Could Con Could Con Could Coul	Could a     Clerch Mee     View Vertual     nection Propertia     Setting Name:     Quals Serve:     could ybe hood and     View Virtual Switch on     TOLCustermas     TOLCustermas     TOLCustermas     TOLCustermas     TOLCustermas     TOLCustermas     Setting Vertual Switch on     TOLCustermas     TOLCustermas     Setting Vertual Switch on     TOLCustermas     Setting Vertual Switch on     TOLCustermas     Setting Vertual Switch on     Setting Vertual     Switch on     Setting Vertual     Switch on     Setting Vertual     Switch on     Setting Vertual     Switch on     Setting Vertual     Switch on     Setting Vertual     Switch on     Setting Vertual     Switch on     Setting     Switch on     Switch     Switch on     S	Enterprise Client ager Adapter USB To Ss Hew Quilla Correct e or IP address, an the declination contents quilla corre- ter auto-quilla co	en Tools He tion d the port number uits Server. Cable Colle Colle sable UDP A sequered with traction.	Ip X v and ud Servers sceleration en	
One can drouge the set of parameter of two Calls Server.     Charge Hassanet       What Network Adaptor to Calls     Charge Hassanet       What Network Adaptor to Calls     What Network Adaptor to Calls	Suite Trengnies Clear Menagere wer Lett : Www.ad.August wor Quite Connection Properties String Name <u>here</u> Q Destring Name <u>here</u> Q Destring Name <u>here</u> Q Port Viter I sol name or B // Port Name: Port Name: Port Names Port Names Port Names Port Names Destring Names Port Names Destring Names Port Names Destring Names Port Names Destring Names Destring Destring Names Des	er USB Token Tool Julia Connection eddress, and the port stanston Quils Server. Quils Server.	number and Julia Cloud Seners NATIT UDP Acceleration red when n ~	× N	d Could Enter connect Edit connect Edit	Circuits     Control Mean     View Virtual     Control Mean     Control Mean     Control Mean     Control Mean     Control     Contro     Control     Control     Contro	Enterprise Client aper Adapter USB To to the Califa Correct New Califa Correct e or IP address, an the destination IC enterprise Adaption for anne Aquita Correct terazer-quise content terazer-quise	EBuild 284	r and ud Servers	
Cargo Facence Cargo Facence Cargo Facence Cargo Facence Visual Network Adapter to Use Introduction Adapter to Use Introduction Adapter - VEN Introduction Adapter - VEN Introduction	Anite Trengmine Clere Menagere     Rest Twee Mercel     Section Name Mercel     Section Name Mercel     Section Name     Section Name     Section Name     Rost Name     Rost Name     Rost Name     Section	er USB Token Tool lule Connection address, and the port standards (LAWB Server, Dable I ) Disable I ) Disable I formation that is require, ex	number and unitoer and uita Cloud Servers NAT-T UDP Acceleration red when	× Not Connecte	d Ruile Enter ormed Edit ov iQuila Con Destination I Sou Host Name Virtual Suitd User Authout User Authout User / Den	CQuila     View Vetual     nection Propertia     Setting Name     Quila Server     Quila Server     Quila Server     Quila Server     TricLustermas	Enterprise Client ager Adapter USB Te 55 5 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Build 284	Ip X	
VMax Network Adapter to Use VMax Network Adapter to Use White Network Adapter to Use White Network Adapter to Use	Andre Extension Class Management     Cett View Viewald Adapt     or Class Connection Properties     vicular Connection     vicular Connection     vicular Connection     vicular Connection     vicular Connection	er USB Token Torol hula Connection eddress, and the port eddress, and the port estimation (Qualities Server ) Qualities ) Disable 1 discussion that is required estimation	Help  number and  uita Cloud Servers NATI-T  UDP Acceleration  red when  a	× Nat Connecte	d Could Enter av iQuila Con av iQ	Could a     Could a     Could be     Co	Enterprise Client aper Adapter USB Te 5 5 6 (Particular Connect on (	Build 284 Iven Toels He iven T	lp X	
Vinal Netion X Adapter to Use Vinal Netion X Adapter to Use Vinal Netion X Adapter - VIN	Call Conserve Clear Manager     Clear Xiney     Clear Xiney     Clear Xiney     Kang Name     Kang Nam     Kang Name     Kang Name     Kang Name     Kang Name     Ka	er USB Telken Teel late Connection eddress, and the port stratistic Nature (Nature) (Nature	number and Jak Cloud Seners Jak Cloud Seners Nation Jak Cloud Seners Nation National National National National National National National National National National National National National National National National National National National	× Connecte	d Could Enter Could Enter Could Con Could Con Could Con Could Con Could Con Could Could Could Could Could Could Could Could Could Could Could Could Could Could Co	Cluster     Construction     Constr	Enterprise Clean aper Adapt 5 3 4 4 4 4 4 5 4 4 4 4 5 4 4 4 5 4 5 4	Build 284     In Tools He	lp × and ud Servers coloration en	-
IN YEY Clast Adults - YEY	Call Contract Clear Many Clear (14) User View and Angel with Clear Cle	er USD Token Troit Jula Connection eddress, and the port eddress of the port consets to full Sector consets to ful	In Help Inumber and Inumber and UDP Acceleration Red When In	× Nat Connecte	d Could Enter Could Enter Could C	Curital     Control Mass     View Vetsal     View Vetsal     Control Mass     View Vetsal     Control Mass     Control M	Enterprise Clean ager Adapt Statut Statut e or (P address, an e or (P address, and e or (P addres	Build 284  In Tools He Isan Isan Isan Isan Isan Isan Isan Isan	Ip X	
	Acade Conservation Clear Management 1 Gai Tuer Management 1 Gai Tu	er USB Teken Trot Jule Correction Address, and the port instantion Case Service (Include The Control Address Control Address Control Address Control Address Control Control Fisse Control Fisse	In Help Internet Inte	× Connecte	d Vouils Enter Could Enter Could Con Could Con Could Con Could Con Could C	Cluster     Construction     Const     Construction     Construction     Construction	Enterprise Cleans aper Addatoter USB To is "Here Clubb Comercians" a or IP address, an the destination (Clubb comercians) and the destination (Clubb comercians) and the destination (Clubb comercians) and the destination (Clubb comercians) and the destination of the destination (Clubb) and the destination of the destination (Clubb) and the destination of the destination (Clubb) and the destination (Clubb) and the destination (Clubb) and the destination (Clubb	Build 284  In Tools He  an  In Tools He  an  In the port number	tp × and ud Servers celeration	
	A call Conservation Clear Monogling 1 Get User View Annuel Clear Vie	er USD Teken Teel Jula Connection Address and the port stateston (Quill Serier ) Desaile thermation that is reque- ted and Authent cation Connect from Connections Connect from	In Help Inumber and India Cloud Senses Nation Natio	X Id Connecte	d Current Edit Current Edit Current Edit Current Edit Current Edit Current Cur	Claudia     C	Enterprise Cleans agent Adapter: USS To to the Califa Connect on IP address, an on IP address, an the destination IC connect address, and the destination IC connect address address the destination IC connect address address the destination IC connect address address address the destination IC connect address address address address the destination IC connect address address address address address the destination IC connect address address address address address address address the destination IC connect address	Build 284  Item Tools He  Ran  a the port number  sale Server.  Comparison of the port number  at the por	ip X	-
	Calla Central Clear Mangal (24) User Minda Angel San Dar Concertos Repetitor San Dar Concertos Repetitor San Dar Concertos Repetitor Concertos Antonecia Roth Name Roth N	er USD Token Text Julie Correction Address, and the port transform Case Description (Case Description) (Case Description) (Case Passe Description) (Case Passe Description)	In Help Inumber and Into Cloud Servers NAT.T UDP Acceleration red when Into Cloud Servers Servers Servers	× Connecte	d Cuile Enter connect Edit connect Edit connect Destination I Connect Host Name Vertual Saitci User / Den User / Den Vertual Networ Vertual Networ Vertual Networ	Claulai     Construction     Constructin     Construction     Construction     Construction     Constru	Enterprise Clean approx. Adaptor: USB To: 55 e or IP address, an the destination of the destination of the destination of the d	Build 284  Image: Tools He  item Tools He  item taken  Image: Texture texture  Image: Texture texture Image: Texture texture  Image: Texture  Image: Texture texture  Image: Texture texture Image: T	tp × and ut Servers celeration	-
	Call Constant Clear Margin Clea	er USD Teken Teel Jula Connection Indianas and the port Indianas and Indianas a	In Help number and uita Cloud Seners NATIOT UDP Acceleration red when a v storves. word	X Id Connecte	d Cuite Enter connect Edit connect Edit connect Edit connect Connect	Cluster     Class	Enterprise Client agent Adapter: USB To ts www.claits.comec- e- e-oriPaddives, and the destination RD extension RD extensi	Build 284  In Tools He Isan  at the port number Isan  build Server.  Tool Aulie Clo  at required with  state UDP A  at required with  state tool Aulie Clo  at required wi	te X v and ud Servers coeleration en	-
	Calla Constanti Cale Mangali Cala Constanti Cale New Angel San San Constanti Cale San	er USB Telen Teel Isolates, and the port Isolates, and the port Isolates, and the port Isolates is server Isolates in the isingular Isolates in the isingular Isolates Isingular Isolates Isingular Isolates Isingular Isolates Isingular Isolates Isingular Isolates Isingular I	namber and united servers national servers national utile Cloud Servers national nei national national national national national	X Id Connecte	d Cuile Enter connect Ede connect Ede connect Ede Connect Destination I Connect Port Numbe Virtual Saitet User / Den User / Den User / Den User / Den User / Den	Claudial     Claudial     prior Cleard Marc     Wrie Vietual     accion Propertir     Setting Name:     Claudia     Cardia Server     Claudia Server     TrickLastermain     TrickLas	Enterprise Clean appril Adaptor USE To State sta	Build 284  sen Toels He fan  it the pool number is source as required with static NUT-T stable LOP Ac  stable LOP Ac  stable LOP Ac  stable Server  the static Server	Ip X and Ud Servers contertation	-
	Calls Central Clear Mangal Agents Clear Mangal	er USB Teken Teel Julie Connection Astress, and the port Constant Linear Connection Constant Linear Constant Automatication Consequences Connec Fiscal	number and alla Cloud Seners NATI-T UOP Acceleration ared when a Serves. serves.	Net Connecte	d Cuite Enter convect Enter convect Enter convect Enter Destination II Convector Destination II Convector Port Number Virtual Switch User / Dest User	Cluster Mana      Cluster Mana      Cluster Mana      Cluster Mana      Cluster Mana      Cluster Mana      Cluster      Cluster	Enterprise Clean agen Autore USB In ES E E E E E E E E E E E E E E E E E E	Build 284	r and ud Servers coleration	_

Right click and select connect

A popup will show if there was an error with the account details.

Right click and select properties to go over the account information

A green circling arrow indicates connection established.

Right click on the green circling arrow will allow control options of the client.



<u>^ Q</u> 대 (11) 년	•
---------------------	---